
0133

TRAVERSE TABLE FOR TRANSIT BOOK.

From 1° to 90° for a distance of 100.

Degrees.	DEGREES.		¼ DEGREE.		½ DEGREE.		¾ DEGREE.		Degrees.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
			100.00	0.44	100.00	0.87	99.99	1.31	89
0			99.98	2.18	99.97	2.62	99.95	3.05	88
1	99.98	1.75	99.92	3.93	99.91	4.36	99.88	4.80	87
2	99.94	3.49	99.84	5.67	99.81	6.10	99.79	6.54	86
3	99.86	5.23	99.73	7.41	99.69	7.85	99.66	8.28	85
4	99.76	6.98	99.58	9.15	99.54	9.58	99.50	10.02	84
5	99.62	8.72	99.41	10.89	99.36	11.32	99.31	11.75	83
6	99.45	10.45	99.20	12.62	99.14	13.05	99.09	13.49	82
7	99.25	12.19	98.97	14.35	98.90	14.78	98.84	15.21	81
8	99.03	13.92	98.70	16.07	98.63	16.50	98.56	16.93	80
9	98.77	15.64	98.40	17.79	98.33	18.22	98.25	18.65	79
10	98.48	17.36							
11	98.16	19.08	98.08	19.51	97.99	19.94	97.90	20.36	78
12	97.81	20.79	97.72	21.22	97.63	21.64	97.53	22.07	77
13	97.44	22.50	97.34	22.92	97.24	23.34	97.13	23.77	76
14	97.03	24.19	96.92	24.62	96.81	25.04	96.70	25.46	75
15	96.59	25.88	96.48	26.30	96.36	26.72	96.25	27.14	74
16	96.13	27.56	96.00	27.98	95.88	28.40	95.76	28.82	73
17	95.63	29.24	95.50	29.65	95.37	30.07	95.24	30.49	72
18	95.11	30.90	94.97	31.32	94.83	31.73	94.69	32.14	71
19	94.55	32.56	94.41	32.97	94.26	33.38	94.12	33.79	70
20	93.97	34.20	93.82	34.61	93.67	35.02	93.51	35.43	69
21	93.36	35.84	93.20	36.24	93.04	36.65	92.88	37.06	68
22	92.72	37.46	92.55	37.86	92.39	38.27	92.22	38.67	67
23	92.05	39.07	91.88	39.47	91.71	39.87	91.53	40.27	66
24	91.35	40.67	91.18	41.07	91.00	41.47	90.81	41.87	65
25	90.63	42.26	90.45	42.66	90.26	43.05	90.07	43.44	64
26	89.88	43.84	89.69	44.23	89.49	44.62	89.30	45.01	63
27	89.10	45.40	88.90	45.79	88.70	46.17	88.50	46.56	62
28	88.29	46.95	88.09	47.33	87.88	47.72	87.67	48.10	61
29	87.46	48.48	87.25	48.86	87.04	49.24	86.82	49.62	60
30	86.60	50.00	86.38	50.38	86.16	50.75	85.94	51.13	59
31	85.72	51.50	85.49	51.88	85.26	52.25	85.04	52.62	58
32	84.80	52.99	84.57	53.36	84.34	53.73	84.10	54.10	57
33	83.87	54.46	83.63	54.83	83.39	55.19	83.15	55.56	56
34	82.90	55.92	82.66	56.28	82.41	56.64	82.16	57.00	55
35	81.92	57.36	81.66	57.71	81.41	58.07	81.16	58.42	54
36	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	53
37	79.86	60.18	79.60	60.53	79.34	60.88	79.07	61.22	52
38	78.80	61.57	78.53	61.91	78.26	62.25	77.99	62.59	51
39	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	50
40	76.60	64.28	76.32	64.61	76.04	64.94	75.76	65.28	49
41	75.47	65.61	75.18	65.93	74.90	66.26	74.61	66.59	48
42	74.31	66.91	74.02	67.24	73.73	67.56	73.43	67.88	47
43	73.14	68.20	72.84	68.52	72.54	68.84	72.24	69.15	46
44	71.93	69.47	71.63	69.78	71.33	70.09	71.02	70.40	45
45	70.71	70.71							
Degrees.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Degrees
	DEGREES		¾ DEGREE.		½ DEGREE.		¼ DEGREE.		

Published by H. S. Crocker Company, Stationers, Drawing Materials, Mathematical Instruments, etc., San Francisco.

50372

Crocker Quality

LEVEL BOOK

No. 403

MANUFACTURED BY

H. S. CROCKER CO.

SAN FRANCISCO AND SACRAMENTO
CALIFORNIA

0134

Contents

	Page
Equation of Levels on River Gauge on Alex Brown's Wharf opp "E" 1436+ Walnut Grove.	3-4
Gauge Reading of Back Water of Mokelumne River 1911 at Stations "D" 885+ "D" 1013+ "T" 1158+	18
Summary of High Water Elevations - Jan. 12 to Jan. 31, 1909.	1
Gauge Reading of Back Water, 1909, Opp. Sta. T 1158 + D 930	5-7
High Water Elevations on Georgiana Slough - Jan. 27, 1909.	9-12
" " " " 4 Level Notes for same, Jan-Feb. 1909	13-17

0135

Summary of high water elevations — January 13 to January 31 Flood of 1909

Elev.	Opposite Gage or Back Water	Date	Remarks		See Page
11.2	At D930	Jan 17, 1909	Gage Reading		7
11.0	At T1158	" 23	" "		8
		Sacramento River			
19.7	At E683	Jan 19 1909	In front of	Johnston Dairy house	15
19.1	At T1148	" 19 1909	At Common's	Wharf House	16
18.8	At D798	" 19 1909	At property line	between Hollister and Ralston	16
18.3	At D700+50	" 19 1909	Courtland Gage	Reading — corrected —	17
17.85	At B540+50	" 19 1909	Opposite Steam	Boat Slough	14
17.56	At D1020	" 19 1909	In front of	Mrs Runyon's Residence	14
17.3	At D1049	" 19 1909	Below Verdon		13
16.95	At T1155	" 19 1909	Opposite North	Levee Geo Locke's Est.	13
16.75	At T1176	" 19 1909	" South	" " " "	13
16.6	At E1486	" 19 1909	Walnut Grove Gage	Reading	3rd 4
16.2	Georgiana Slough At E1455	" 20 1909	In front of	Dyes Residence	9
16.0	At E1462	" 21 "	" "	Dafford	9
15.4	At E1494	" 21 "	North of R.R. Cross	Levee House	10
15.0	At E1500	" 21 "	In front of	Tap house	10
13.8	At E1549	" 21 "	" "	the Parker	Residence 11
11.3	At E1650	" 21 "	Opposite Rindge	Slough	Bungalow 11
9.2	At E1759	" 21 "	Approximate	location	were Sacramento
			Southern R.R. crosses		Georgiana Slough 12

0136

Gage Readings WALNUT GROVE

Elev. 0.000 Gauge at Walnut Grove opp. E 14,36+

Elev. 0.000 S.S.R.R. Datum

opposite E 14,36 - on Alex Brannan Wharf

0.0 Sacramento Southern Elev

+ 0.526 Gage Reading

1909	Gage	Time		Sac. Southern Elevations
Jan 12	7.6	7:30	A.M.	7.1
" 13.	9.2	" 7:30	A.M.	8.7
	9.4	" 9:30	A.M.	8.9
	9.7	" 12:30	A.M.	9.2
	9.9	" 3:30	P.M.	9.4
" 14	10.5	" 7:30	A.M.	10.0
	11.3	" 12 -	M.	10.8
" 15.	11.2	" 12 -	M.	10.7
	12.6	" 6 -	P.M.	12.1
" 16	13.2	" 7:30	A.M.	12.7
	12.4	" 9:30	A.M.	12.9
	13.2	12:30	M.	12.7
" 17	13.5	12	M	13.0
" 18	15.5	7 -	A.M.	15.0
	16.2	1 -	P.M.	15.7
	16.4	4 -	P.M.	15.9
	16.1	5 -	P.M.	15.6
" 19	16.5	7	A.M.	16.0
"	17.1	12	M	16.6 Highest
	17.1	6	P.M.	16.6 "

1909	Elev.			Sac. Southern Elevation
Jan 20.	17.0	7 -	A.M.	16.5
	17.0	- 9 -	A.M.	16.5
	16.6	- 5 -	P.M.	16.1
Jan 21.	16.7	- 6	A.M.	16.2
	17.0	- 5 -	P.M.	16.5
	16.9	- 7 -	P.M.	16.4
" 22.	16.6	- 6 -	A.M.	16.3
	16.6	- 2	P	16.3
	16.8	- 6	P.M.	16.3
" 23.	16.7	- 5	A.M.	16.3
	16.5	- 12	M.	16.2
	16.8	- 6	P.M.	16.3
" 24.	16.7	- 6	A.M.	16.2
	16.5	- 12	M.	16.0
	16.1	- 6	P.M.	15.6
" 25.	16.5	6	A.M.	16.0
	15.6	12	M.	15.1
	15.7	6	P.M.	15.2
" 26.	15.9	6	A.M.	15.4
	15.2	12	M.	14.7
	15.1	6	P.M.	14.6

0137

Gage Readings at Mount Grove — continued from page 3.

1909	Gage	Time	Inst. Scatters Elevations
Jan 27	15.0	at 6 A.M.	14.5
"	14.8	at 6 P.M.	14.3
" 28	14.5	" 6 A.M.	14.0
	14.3	" 6 P.M.	13.8
" 29	14.0	" 6 A.M.	13.5
	14.7	" 6 P.M	14.3
" 30	14.6	" 6 A.M	14.1
	14.3	" 6 P.M	13.8
" 31	13.0	" 6 A.M	12.5
	12.7	" 6 P.M	12.2
Feb 1	12.4	" 6 A.M	11.9
	12.2	" 6 P.M	11.7
" 2	12.0	" 6 A.M	11.5
	11.8	" 6 P.M	11.3
" 3	11.5	" 7.45 A.M.	11.0
	11.5	" 5.15 P.M	11.0
" 4	11.3	" 7.30 A.M.	10.8
	11.3	" 5.45 P.M	10.8

0138

Back Water

Gage opposite T 1158

1909	Elev.		Time	
Jan 12	3.8 ft	at	830	A.M.
	1.9	"	1230	P.
	1.4	"	5-	P.M.
" 13	3.4	"	1130	A.M.
	1.6	"	3-	P.M.
" 14	1.8	"	7-	A.M.
	4.3	"	1235	P.
" 15	5.5	"	720	A.M.
	6.0	"	920	A.M.
	6.4	"	12-	M.
	7.4	"	320	P.M.
	7.8	"	620	P.M.
" 16	9.2	"	930	A.M.
	9.4	"	920	A.M.
	9.6	"	1200	M.
	9.8	"	320	P.M.
	10.00	"	630	P.M.
" 17	10.6	"	830	A.M.
	10.9	"	600	P.M.
" 18	10.8	"	7.20	A.M.
	10.7	"	1.-	P.M.

Set from Sacramento Southern Elev

1909	Elev			
Jan 19	10.2	at	6	A.M.
" "	10.1	"	12	M.
" "	10.0	"	6.	P.M.
" 20.	9.4	"	6.	A.M.
" 20	9.0	"	12.	M.
	9.0	"	6.	P.M.
" 21	9.0	"	6	A.M.
	9.0	"	12.	M.
	9.3	"	6.	P.M.
" 22.	10.3	"	6	A.M.
	10.4	"	12.	M.
	10.7	"	6.	P.M.
" 23	10.9	"	6.	A.M.
	10.9	"	12.	M.
	10.9	"	4	P.M.
	11.0	"	6.	P.M. Highest
	10.9	"	10.	P.M.
" 24.	10.9	"	6	A.M.
	10.8	"	7	P.M.
	10.6	"	10.	A.M.
	10.6	"	12.	M.

0139

Back Water

Page opposite T 1152

	Elev	
Jan 24	10.4	at 4. P.M.
	10.4	" 12. AM.
" 25	10.4	" 6 AM.
	10.3	" 8 A.M.
	10.00	" 10. A.M.
	9.5	6. P.M.
" 26	9.5	6. AM
	9.5	12. M.
	9.3	6. P.M.
" 27	8.8	6 A.M
	8.7	12. M.
	8.5	6. P.M.
" 28	8.2	6.30 A.M
	8.0	12. M.
	7.9	6. PM
" 29	7.6	6 A.M
	7.5	12 M
	7.3	6. P.M.
" 30	7.0	6. A.M.
	6.8	12 M
	6.7	6 P.M

Continued from page 5

Jan 31	6.6	at 6. A.M.
	6.6	" 12. M
	6.5	" 6. P.M.
Feb 1	6.6	" 6. AM.
	6.5	" 12. M.
	5.6	" 6. P.M.
Feb. 2	5.3	at 6. A.M.
	5.2	" 12 M.
	5.4	" 6. P.M
" 3	5.2	" 8.15 A.M.
	5.3	" 4.45 P.M.
" 4	5.0	" 8. A.M.
	4.9	" 11.30 AM
	5.2	" 5.15 PM

0140

Back Water

Gauge opposite D 930.

Set from Spuyten Duyvil Southern end

1909	Feet	Time	
from 14	3.0	at 3.00 P.M.	
" 15	7.8	" 3.30 P.M.	
" 16	9.7	" 4.00 P.M.	
" 17	11.0	" 9 AM	
	11.2	" 5 P.M.	Highest
" 18	11.0	" 12 M	
" 24	10.8	11 A.M.	
" 27	8.8	10 A.M.	

High Water Elevations on Georgian Slough

January 27 1909

Sta	B.S.	H.I.	F.S.	Elev.	
B.M.	3.120	10.646		7.526	B.M. #20 - 170' SW T 11,977+48.7 E 14,128+46.5
T.P.	4.730	7.890	5.486	5.160	
T.P.	11.750	19.167	2.473	7.417	
T.P.	10.910	27.350	1.967	17.500	
B.M.	8.015	29.708	5.617	21.693	On Gum Tree in front of Mrs Words & bolt about 4' from surface. Elev 21.69
T.P.	6.880	29.608	7.000	22.728	
T.P.	4.500	26.838	6.670	22.338	
T.P.	9.450	28.582	7.700	19.131	
			12.450	16.132	
H.W. Elev.			12.419	16.171	Elevation of high water mark. flood of March 1907 a nail driven in cotton wood in front of Sperry Dyas. Walnut Grove. Elevation of stake set at water level January 28 1909. by R.E. Defour.
T.P.	3.930	22.208	11.810	17.378	
H.W. Elev.			6.30	16.008	Stake set in front of Dosfords barn Jan 28 09 by R.E. Defour.
T.P.	5.170	21.128	3.250	18.958	
T.P.	5.820	23.725	4.220	19.908	
T.P.	4.982	23.230	4.480	19.308	
T.P.	3.996	20.896	1.330	17.000	

0142

High Water Elevations on Georgian Slough

January 27th 1919

Sta	B.S.	H.I. 20.896	F.S.	Elev.
H.W. Elev			5.230	15.666
T.P.	6.050	25.364	11.52	19.314
T.P.	3.030	21.822	6.762	18.602
T.P.	3.600	20.262	4.960	16.662
H.W. Elev			5.250	15.812
B.M.	5.487	21.698	4.567	16.695
T.P.	4.745	20.853	5.574	16.108
T.P.	4.350	21.403	3.700	17.153
T.P.	4.130	20.277	5.256	16.147
T.P.	3.540	19.677	5.140	16.137
T.P.	3.155	20.803	5.330	17.648
T.P.	5.711	21.206	5.370	15.495
T.P.	5.690	21.976	4.910	16.286
T.P.	3.050	20.721	4.806	17.671
T.P.	4.230	20.921	4.000	16.721

A stake set July 21, 1919 by T.E. Dafoe 300' North of O.W. Clarke's brick house

A nail in stump in front of Bob Thisby's Jap House Set by Bob Thisby Jan 21, 1919 - information from B. Thisby.

A nail in top of stump 60' in front of Bob Thisby's Jap House Elev 15.695

0143

High Water Elevations on Georgiana Slough

January 21, 1909

Sta	B.S.	H.I.	F.S.	Elev
		20.921		
B.M.	7.380	21.341	6.960	13.961
H.W. Elev			9.110	13.231
T.P.	5.770	19.881	7.230	14.111
T.P.	4.252	19.365	4.768	15.113
T.P.	4.268	18.941	4.687	14.678
T.P.	4.972	20.463	3.450	15.491
T.P.	1.100	6.903	14.660	-5.757
T.P.	4.200	1.613	9.510	-2.607
T.P.	9.300	4.093	4.830	-5.207
T.P.	4.140	6.687	1.546	2.547
T.P.	12.516	18.396	0.527	5.880
B.M.	9.540	20.698	5.043	12.383
T.P.	5.067	20.220	5.720	14.953
T.P.	4.307	21.457	4.070	16.950
H.W. Elev			10.182	11.275
T.P.	-.920	20.268	3.549	17.908
T.P.	3.328	20.340	3.900	16.868

B.M. a hub driven even with ground at N.W. corner Mr Durbins barn - Elev. 13.220

A. gage set by Mr Durbin in front of his residence. hourly readings were taken and difference in elevations during flood were reported to weather bureau at Sacramento - highest recorded 13.231 by Sac Southern Elevations on January 21, 1909 Information from Mr. Durbin.

B.M. - a hub at foot of Oak tree on levee in front of Mr Hansen bunk house - Elev. 13.383

A stake set opposite Hedins Island pump house from thrash and water marks left by flood Note: H. H.W. Elev was taken at this place in 1907

0144

High Water Elevations on Georgiana Slough

January 27, 1909

Sta	B.S	H.I.	F.S.	Elev
		20.340		
T.P.	4.483	19.777	5.046	15.294
T.P	4.916	20.733	3.990	15.787
B.M.	6.950	19.618	8.065	13.668
T.P	7.100	21.248	5.470	14.148
T.P	3.800	23.175	4.673	16.575
T.P	1.197	21.253	3.319	17.056
T.P	3.570	19.563	5.270	15.993
T.P	6.172	18.997	6.728	12.825
T.P	4.296	18.603	5.290	13.707
T.P	5.220	20.373	2.850	15.173
T.P	4.350	19.453	7.790	12.103
T.P	4.000	17.287	4.166	13.287
T.P	3.660	16.591	4.316	13.031
T.P	9.420	19.591	6.430	13.161
H.W. Elev			10.349	9.242
B.M			9.460	13.131

At the division area with ground at N.E. corner of shipping shed on bank of Georgiana Slough on The Lawrenson Estate

Note - This is in vicinity of where Sac Southern R.R. crosses Georgiana Slough

Datum set by taking general average of elevations obtained from drift and thrash left by flood. opposite large Oak Tree with B.M. - A high water elevation was taken at this location in 1907.

On large oak tree. 8' in diameter - 30' from bank of Georgiana Slough. A B.M. was put on this tree by Cooper in 1906, but is now covered with about 5' of wood.

0145

Level to Obtain Elevations of Stakes Set at High Water Elevation on January 19, 1909.

Sta.	B.S.	H.I.	F.S.	Rod.	Elev.	
		Opposite E 1265 D 1049				Feb. 3. 1909
B.M.	7.190	24.697			17.207	Old "E" line B.M. 40' Rt 1265+30.
H.W. Elev.				7.452	17.245	H hub set January 19, 1909 by R.E.Dufour opposite E 1265 Note - a high water elevation was found in this vicinity during flood March 1907.
		Opposite E 1357 T 1155				
B.M.	9.491	24.437			14.947	On Sycamore Tree 65' Rt 1353+50
				7.482	16.957	E hub set January 19, 1909 - by R.E.Dufour opposite E 1357. by R.E.Dufour
		Opposite E 1397 T 1176				
B.M.	8.601	24.940			16.339	On Oak Tree 65' Rt 1397+20
H.W.Elev.				5.084	16.756	H hub set January 19, 1909 by R.E.Dufour opposite E 1397

0146

Levels to Obtain Elevation of Stakes set at High Water Elevation on January 19, 1909 Feb 4, 1909

Sta	B.S	H.I	F.S	Rod	Elev
		Opposite		E 1198	
				D 1060	
B.M	8.42	25.369			16.949
				8.002	17.367
				7.863	17.506

On Walnut Stump 20' R E 1193

4 stakes set January 19, 1909 by P.E. Dufour. 4 mile to large Sycamore tree in front of the Sol Dupon High Water Mark of March 1907

			Opposite	D 940+50	
				E 1138	
B.M	7.641	25.856			17.615
T.P	7.526	26.352	6.490		18.826
T.P	6.843	25.893	7.362		19.050
T.P	7.156	28.057	4.992		20.901
				10.206	17.851

B.M #35 on stump 50' Rt + 1150

4 Stakes set January 19, 1909 by P.E. Dufour. opposite steam boat slough 1st D 940 +50

0147

Level to obtain Elevations of

Sta.	BS	HI	FS	Rod	Elev
B.M.	3.227	17.960			14.733
T.P.	3.956	18.562	2.754		15.206
T.P.	6.520	13.766	11.316		7.246
B.M.	14.980	25.193	0.503		13.263
T.P.	3.810	17.623	3.970		24.313
T.P.	4.850	29.179	3.004		25.329
T.P.	5.190	32.030	2.349		26.840
T.P.	4.850	28.941	7.925		24.091
T.P.	6.049	30.660	4.330		24.611
T.P.	5.952	31.082	5.530		25.130
T.P.	7.040	30.992	6.130		23.952
H.W. Elev				11.810	19.182
B.M.			8.300		22.682

States Set at High Water Elevations con.-
Jul 4 1909

Do telephone pole Knottle Road

A hub on cross fence 50' from barn at church

Opposite E 9
A stake set by P.E. Dufour June 19 36
in front of the Johnston Dairy barn
40' in front of the Johnston Dairy barn
A nail in Walnut tree

0148

Continued from page 15

Sta	B.S.	H.I.	F.S.	Rod	Elev
B.M	14.940	28.203			13.263
T.P.	4.652	29.524	3.331		24.872
T.P.	4.218	28.984	4.758		24.766
H.W. Elev.				9.841	19.143
T.P.	3.490	25.245	6.169		22.815
T.P.	7.740	32.207	2.778		24.467
B.M.	2.126	29.099	5.234		26.973
T.P.	2.000	27.669	4.430		24.669
T.P.	4.231	27.533	3.367		23.302
T.P.	4.896	25.299	4.630		23.003
T.P.	3.171	21.025	7.946		17.854
T.P.	4.470	20.743	4.752		16.273
T.P.	4.168	21.040	3.871		16.872
H.W. Elev.				2.940	18.100
B.M.			1.249		19.791

A hub on levee see page 15

Opposite D.778 A stake set by P.E. Dafoe January 18, 1909 - 100' N.W. of Gammons Warehouse.
A nail in large W.O.K. Oak tree 10 feet of E. Gammons Warehouse

A STAKE set January 19, 1909 by P.E. Dafoe at property line between Hollisters and Ralston
A hub driven at base of fence post corner of Hollisters, Ralstons and county road. Elev. 19.791

0149

Levels to connect High Water Elevation with Gage at Courtland

Stn	B.S	H.I	F.S.	Bod	Elev
Gage B.M.	0.472	24.972			24.5
T.P	7.771	29.543	3.230		21.742
H.W Elev				7.452	22.061
		Correction			3.778
		Saa. South. Elev			18.291

Feb 4 1909.

Top of gage elevation 24.5

A STAKE Set JANUARY 19, 1909 by R.E. Dufour opposite RT: II 800+50

Highest gage reading reported by Joe Fisher 22.0

Salle R 15' Rt E 1800+00 Jan 20 1909
" 15' R+E 1846+50 " " "

R. E. Dufour

0150

Gauge Reading of Back Water of Mokelumne River. 1911.

Date	Elevation of Water at Station "D" 885	"D" 1013	"T" 1158	"D" 743	"D" 845	"E" 483	Mouth of Snodgrass Slough	Elevation taken 150 ft. below Pump House of Dist. No. 554	"T" 1109+	Elevation taken 600 ft. below Site of Draw Bridge "T" 1110+	Gauge Opd. "D" 814		Remarks
Jan. 31	12^{0}	12^{0}	11^{8}			12^{3}							rising slowly
Feb. 1	14^{2}			14^{27}	14^{25}	13^{7}					14^{65}		
" 2								12^{9}			14^{2}		
" 3							10^{98}	12^{0}	10^{88}	10^{76}	13^{7}		
" 4											12^{6}		
" 5											11^{4}		

B.M. Elev. 14^{923} check on white bolt on S.E. corner of bridge marked U.S. 14° No. 87

B.M. Elev. 11^{772} Set on S. side of Oil house for Pump House of District #554

B.M. Elev. 13^{927} A hub on levee 200 ft. South of District #554 Pump House

0151

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

MINUTES.	LKS.	MINUTES.	LKS.	MINUTES.	LKS.
1	2⅓	21	49	41	95⅔
2	4⅔	22	51⅓	42	98
3	7	23	53⅔	43	100⅓
4	9⅓	24	56	44	102⅔
5	11⅔	25	58⅓	45	105
6	14	26	60⅔	46	107⅓
7	16⅓	27	63	47	109⅔
8	18⅔	28	65⅓	48	112
9	21	29	67⅔	49	114⅓
10	23⅓	30	70	50	116⅔
11	25⅔	31	72⅓	51	119
12	28	32	74⅔	52	121⅓
13	30⅓	33	77	53	123⅔
14	32⅔	34	79⅓	54	126
15	35	35	81⅔	55	128⅓
16	37⅓	36	84	56	130⅓
17	39⅔	37	86⅓	57	133
18	42	38	88⅔	58	135⅓
19	44⅓	39	91	59	137⅔
20	46⅔	40	93⅓	60	140

TABLE FOR RUNNING ON SLOPES.

In the following table the first column shows the angle, the second the number of links to be added to a chain on the slopes, to make one chain, horizontal measurement.

ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS	ANGLE	COR. IN LINKS
°		°		°		°	
4	0.24	11	1.88	18	5.14	25	10.54
5	0.38	12	2.24	19	5.76	26	11.26
6	0.55	13	2.63	20	6.42	27	12.24
7	0.76	14	3.06	21	7.11	28	13.37
8	0.98	15	3.53	22	7.85	29	14.34
9	1.24	16	4.02	23	8.64	30	15.47
10	1.55	17	4.56	24	9.47	35	22.07

0152